```
http://www.cas.org/ONLINE/DBSS/registryss.html
=> s 4-methylene-l-glutamic acid/cn
L1
             1 4-METHYLENE-L-GLUTAMIC ACID/CN
=> d
     ANSWER 1 OF 1 REGISTRY COPYRIGHT 2005 ACS on STN
L1
RN
     16804-57-2 REGISTRY
CN
     L-Glutamic acid, 4-methylene- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN
     Glutamic acid, 4-methylene-, L- (8CI)
OTHER NAMES:
CN
     \gamma-Methylene-L-glutamic acid
```

CN γ-Methyleneglutamic acid

4-Methylene-L-glutamic acid 4-Methyleneglutamic acid

L-γ-Methyleneglutamate

CN L-4-Methyleneglutamic acid

FS STEREOSEARCH MF C6 H9 N O4

CI COM

CN

CN

CN

LC STN Files: AGRICOLA, BEILSTEIN\*, BIOSIS, BIOTECHNO, CA, CAPLUS, CASREACT, CHEMINFORMRX, EMBASE, IPA, NAPRALERT, TOXCENTER, USPATFULL (\*File contains numerically searchable property data)

DT.CA CAplus document type: Conference; Dissertation; Journal; Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)

RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical study); PREP (Preparation)

Absolute stereochemistry. Rotation (+).

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

77 REFERENCES IN FILE CA (1907 TO DATE)

3 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

77 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 6.87 7.08

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 17:27:22 ON 06 JAN 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

The CA L'exicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 6 Jan 2005 VOL 142 ISS 2 FILE LAST UPDATED: 5 Jan 2005 (20050105/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 16804-57-2/prep 77 16804-57-2 3242962 PREP/RL L2 10 16804-57-2/PREP (16804-57-2 (L) PREP/RL) => s 16804-57-2/proc 77 16804-57-2 3606782 PROC/RL 5 16804-57-2/PROC (16804-57-2 (L) PROC/RL) => s 16804-57-2/pur 77 16804-57-2 204429 PUR/RL 0 16804-57-2/PUR

(16804-57-2 (L) PUR/RL)

=> s 12 or 13 15 L2 OR L3

=> s 15 and pyroglutam? 4142 PYROGLUTAM? 3 L5 AND PYROGLUTAM?

=> d 1-3 ibib abs hitstr

ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2004:392435 CAPLUS

DOCUMENT NUMBER: 140:375488

TITLE: Process for synthesizing L-methyleneglutamic acid and

analogs

INVENTOR(S): Kochat, Harry; Chen, Xinghai; Wu, Ye; Huang, Qiuli;

Wang, Jianyan; Gerusz, Vincent

PATENT ASSIGNEE(S): Bionumerik Pharmaceuticals, Inc., USA

PCT Int. Appl., 13 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

SOURCE:

PATENT	KIND		DATE		APPLICATION NO.					DATE					
WO 2004	WO 2004039314				20040513		WO 2003-US33236					20031022			
WO 2004039314			A3 20041209												
W:	AE, A	G, AL,	AM,	ΑT,	AU,	AZ,	BA,	BB,	BG,	BR,	BY,	BZ,	CA,	CH,	CN,
		R, CU,													
		R, HU,													
		T, LU,													
		H, PL,													
		T, TZ,												•	•
RW	AT, B	E, BG,	CH,	CY,	CZ,	DE,	DK,	EE,	ES,	FI,	FR,	GB,	GR,	HU,	IE,
		U, MC,										-	•	•	•
US 2004106826										20030725					
PRIORITY API					US 2002-421489P				P 20021025						

OTHER SOURCE(S): CASREACT 140:375488

A process for synthesizing 4-methylene-L-glutamic acid and analogs comprises converting (2S)-pyroglutamic acid or a derivative to a

4-enamine derivative, hydrolysis to a 4-hydroxymethylene derivative, reduction to a

4-methylene derivative, and treatment with strong base to effect ring

cleavage. In the examples, L-pyroglutamic acid was

C/N-protected and reacted with DMF diisopropyl acetal to form intermediate

Et 4-[(dimethylamino)methylene]-N-(tert-butoxycarbonyl)-L-pyroglumate, which was converted into 4-methylene-L-glutamic acid hydrochloride.

IT 16804-57-2P

CN

RL: SPN (Synthetic preparation); PREP (Preparation)

(process for synthesizing L-methyleneglutamic acid and analogs)

RN 16804-57-2 CAPLUS

L-Glutamic acid, 4-methylene- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).

ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 1994:631298 CAPLUS

DOCUMENT NUMBER: 121:231298

TITLE: Efficient synthesis of 4-methylene-L-glutamic acid and

its cyclopropyl analog

AUTHOR (S): Ezquerra, Jesus; Pedregal, Concepcion; Mico, Irene;

Najera, Carmen

CORPORATE SOURCE: Cent. Invest. Lilly S. A., Valdeolmos, 28130, Spain

Tetrahedron: Asymmetry (1994), 5(5), 921-6 SOURCE:

CODEN: TASYE3; ISSN: 0957-4166

DOCUMENT TYPE: Journal LANGUAGE: English

CASREACT 121:231298 OTHER SOURCE(S):

Title compds. L-NHCH(CO2H)CH2C(CO2H):CH2 and cyclopropyl analog I were AB obtained from protected **pyroglutamate** Boc-pGlu-OEt (Boc = Me3CO2C) in 2 and 3 steps, resp. Key methylenepyroglutamate intermediate II was prepared by reaction of the protected pyroglutamate lithium lactam enolate with Eschenmoser's salt. Cyclopropyl derivative I was also prepared from imidazolidone III (R = H) in 3 steps. The intermediate III [R = CH2C(CO2Bu):CH2] was obtained by diastereoselective reaction of the lithium enolate of III (R = H) with Bu (2-tosylmethyl) acrylate.

IT 16804-57-2P, 4-Methylene-L-glutamic acid

RL: SPN (Synthetic preparation); PREP (Preparation)

III

'(preparation of, from pyroglutamic acid)

16804-57-2 CAPLUS

L-Glutamic acid, 4-methylene- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).

ANSWER 3 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 1993:671664 CAPLUS

DOCUMENT NUMBER: 119:271664

TITLE: Synthesis of naturally occurring 4-alkylideneglutamic

acids

AUTHOR(S): Moody, Claire M.; Young, Douglas W.

CORPORATE SOURCE: Sch. Chem. Mol. Sci., Univ. Sussex, Falmer/Brighton,

BN1 9QJ, UK

SOURCE: Tetrahedron Letters (1993), 34(29), 4667-70

CODEN: TELEAY; ISSN: 0040-4039

DOCUMENT TYPE: Journal LANGUAGE: English

OTHER SOURCE(S): CASREACT 119:271664

GI

RN CN

L6

$$R$$
 $H_2N$ 
 $H$ 
 $HO_2C$ 
 $III$ 

AB Enaminone I (Boc = Me3CO2C) reacted with Grignard reagents RMgBr (R = Me, Et, Ph, C.tplbond.CH) to afford (E)-alkylidene derivs. II. II (R = H, Me, Et) were converted to 4-alkylideneglutamic acids III (R = H, Me, Et).

IT 16804-57-2P

RN

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of)

16804-57-2 CAPLUS

CN L-Glutamic acid, 4-methylene- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).